Acti9 - comb busbar - 3L - 18 mm pitch - 57 modules - 100A

A9XPH357

Product availability: Stock - Normally stocked in distribution facility

Price\*: 246.00 USD

### Main

Range	Acti 9
Product or Component Type	Comb busbar
Mounting Mode	Horizontal
Accessory / separate part category	Connection accessory
Lines description	3L
Length in 18 mm modules	57

#### Complementary

<u>-</u>	
Number of ways	19 ways 3 L
Poles configuration for 1 way	1 x 3P
Connection pitch	0.71 in (18 mm)
Connector type	tooth
Distance between way	2.13 in (54 mm)
Marking	L1 L2 L3
Insulation	Insulated
Device presentation	Cuttable
Provided equipment	Set of 10 end piece
[le] rated operational current	100 A 104 °F (40 °C)
[Ue] rated operational voltage	415 V AC
[Ui] rated insulation voltage	500 V AC IEC 61439-2
Mounting location	Top or bottom tunnel type terminals Top or bottom double terminal
9 mm pitches	114
Height	39.37 in (1000 mm)
Color	White RAL 9003)
Range compatibility	Acti9 iC60 Acti9 iK60 Acti9 iID Acti9 iID K

<sup>\*</sup> Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Acti9 iSW Acti9 iSW-NA

## **Environment**

Standards	IEC 60947-7-1 IEC 61439-2
Fire resistance	1760 °F (960 °C) 30 s ) IEC 60695-2-1
Pollution degree	3 IEC 60947-7-1
IP degree of protection	IP20 with end-pieces and tooth covers

# Ordering and shipping details

Category	01078-DE2 MISC
Discount Schedule	DE2
GTIN	3606480485152
Returnability	No
Country of origin	DE

## **Packing Units**

Unit Type of Package 1	PCE
Package 1 Length	39.96 in (101.5 cm)
Number of Units in Package 1	1
Package 3 Width	42.24 in (107.3 cm)
Package 3 Weight	6.81 lb(US) (3.09 kg)
Package 2 Width	31.50 in (80.0 cm)
Package 2 Height	44.09 in (112.0 cm)
Package 2 Weight	394.56 lb(US) (178.968 kg)
Number of Units in Package 3	5
Unit Type of Package 3	BB1
Package 3 Height	2.17 in (5.5 cm)
Package 3 Length	3.54 in (9.0 cm)
Package 1 Width	1.18 in (3.0 cm)
Package 1 Height	0.59 in (1.5 cm)
Package 1 Weight	20.39 oz (578.0 g)
Number of Units in Package 2	270
Unit Type of Package 2	P12
Package 2 Length	47.24 in (120.0 cm)

# Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes

China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Contractual warranty	

Warranty 18 months