

Small Distribution Boards

Customized home low voltage distribution box

DECO-BOX



Product Overview

The new generation of small distribution boards is designed for maximum utilization of space, even in extremely confined conditions.

One of the small distribution boards is customized as attractive colorful box designs which is a valuable and wonderful result of excellent creative idea for meeting with modern architectural home decoration styles.

Benefits

- Large wiring space at top and bottom
- Individual and transparent doors fixed left-hand or right-hand with quality magnet
- Available customized color designs and color combinations
- Signal light with digital volt indicating lamp
- Easy installation as wall-mounted and flush mounting type



Applications

Small distribution boards are suitable as sub-distribution boards for all applications in electrical building installations. Thanks to their unique designs and compact mounting depth. They can be installed close to the respective load center in residential and non-residential buildings, as well as apartments, condominiums, schools, commercial buildings and shops.



Design

- Available in sizes with 1 to 4 rows for 12 and 18 ways in each tier
- Knockouts enable cable entry from all four sides of the distribution board
- Space-saving slots for any combination of main incoming MCBs, RCCBs, RCBO's and outgoing MCBs in terms of 1P, 2P, 3P and 4P
- Not only indicating light but also incoming voltage value are visible from LED Volt meter signal light
- Raised mounting rails permit user-friendly cable bushing
- Breaker on/off position can be visible through transparent door and easily accessible to operate after opening individual slot door latched with quality electromagnet switch.

Technical specifications

Rated current in A	Up to 63A
Rated voltage in V AC	400
Degree of protection	IP 30
Standard Color	Pure White RAL9010 Other colors are available
Mounting rail spacing	200 mm
Standards	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth	100 mm
Impact strength	IK 05
Materials	Electro galvanized steel sheet, BS 1449 Part 1
Painting	Epoxy powder coated and oven baked painting



DECO-BOX

**Absolutely no need
to cover breaker boxes & other unsightly electrical
panels for interior decoration at your home...!**



Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS
Model:	DECO-BOX Series
Ordering No.:	DDB-12112-Z-100 DDB-18118-Z-100
Color / Color Code of:	
- Body & main front cover:	White , M0143W (RAL9010)
- Slot door cover:	White , M0143W (RAL9010)
Nos. of ways (rows x ways):	12 (1 x 12) 18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100 450 x 250 x 100
Approx. weight in kg:	2.5 3.0
Qty. per package	1
Accessories:	1 no. x LED Volt-meter signal light with lead wires fitted plastic screw terminals 1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 1 no. x 10 poles N bar complete with copper screws



1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-101



1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-101

Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS
Model:	DECO-BOX Series
Ordering No.:	DDB-12112-Z-101 DDB-18118-Z-101
Color / Color Code of:	
- Body & main front cover:	White , M0143W (RAL9010)
- Slot door cover:	Sliver Black , S81041
Nos. of ways (rows x ways):	12 (1 x 12) 18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100 450 x 250 x 100
Approx. weight in kg:	2.5 3.0
Qty. per package	1
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 1 no. x 10 poles N bar complete with copper screws



**1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-102**



**1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-102**

Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS
Model:	DECO-BOX Series
Ordering No.:	DDB-12112-Z-102 DDB-18118-Z-102
Color / Color Code of:	
- Body & main front cover:	White , M0143W (RAL9010)
- Slot door cover:	Gold Black , S81042
Nos. of ways (rows x ways):	12 (1 x 12) 18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100 450 x 250 x 100
Approx. weight in kg:	2.5 3.0
Qty. per package	1
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 1 no. x 10 poles N bar complete with copper screws



**1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-103**




**1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-103**

Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS
Model:	DECO-BOX Series
Ordering No.:	DDB-12112-Z-103 DDB-18118-Z-103
Color / Color Code of:	
- Body & main front cover:	White , M0143W (RAL9010)
- Slot door cover:	Copper Black , S81043
Nos. of ways (rows x ways):	12 (1 x 12) 18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100 450 x 250 x 100
Approx. weight in kg:	2.5 3.0
Qty. per package	1
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 1 no. x 10 poles N bar complete with copper screws



Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-12112-Z-104	DDB-18118-Z-104
Color / Color Code of:		
- Body & main front cover:	White, M0143W (RAL9010)	
- Slot door cover:	Gray, M9075W (RAL7035)	
Nos. of ways (rows x ways):	12 (1 x 12)	18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100	450 x 250 x 100
Approx. weight in kg:	2.5	3.0
Qty. per package	1	
Accessories:	1 no. x LED Volt-meter signal light with lead wires fitted plastic screw terminals 1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 1 no. x 10 poles N bar complete with copper screws	



1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-105



1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-105

Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-12112-Z-105	DDB-18118-Z-105
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Black , M1012W (RAL9005)	
Nos. of ways (rows x ways):	12 (1 x 12)	18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100	450 x 250 x 100
Approx. weight in kg:	2.5	3.0
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals	
	1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers	
	1 no. x 10 poles N bar complete with copper screws	



1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-106



1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-106

Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS
Model:	DECO-BOX Series
Ordering No.:	DDB-12112-Z-106 DDB-18118-Z-106
Color / Color Code of:	
- Body & main front cover:	White , M0143W (RAL9010)
- Slot door cover:	Green , M6184W (RAL6038)
Nos. of ways (rows x ways):	12 (1 x 12) 18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100 450 x 250 x 100
Approx. weight in kg:	2.5 3.0
Qty. per package	1
Accessories:	1 no. x LED Volt-meter signal light with lead wires fitted plastic screw terminals 1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 1 no. x 10 poles N bar complete with copper screws



1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-110



1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-110

Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-12112-Z-110	DDB-18118-Z-110
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Sliver Black , S81041	
Nos. of ways (rows x ways):	12 (1 x 12)	18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100	450 x 250 x 100
Approx. weight in kg:	2.5	3.0
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 1 no. x 10 poles N bar complete with copper screws	



1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-120



1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-120

Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-12112-Z-120	DDB-18118-Z-120
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Gold Black , S81042	
Nos. of ways (rows x ways):	12 (1 x 12)	18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100	450 x 250 x 100
Approx. weight in kg:	2.5	3.0
Qty. per package	1	
Accessories:	1 no. x LED Volt-meter signal light with lead wires fitted plastic screw terminals	
	1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers	
	1 no. x 10 poles N bar complete with copper screws	



1 Row x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-12112-Z-130




1 Row x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-18118-Z-130

Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-12112-Z-130	DDB-18118-Z-130
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Copper Black , S81043	
Nos. of ways (rows x ways):	12 (1 x 12)	18 (1 x 18)
Dimensions (W x H x D) in mm:	350 x 250 x 100	450 x 250 x 100
Approx. weight in kg:	2.5	3.0
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals	
	1 no. x DIN rails fitted with 2 pcs of stoppers for circuit breakers	
	1 no. x 10 poles N bar complete with copper screws	



Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-100	DDB-36218-Z-100
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	White , M0143W (RAL9010)	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



2 Rows x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-24212-Z-101




2 Rows x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-36218-Z-101

Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-101	DDB-36218-Z-101
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Sliver Black , S81041	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals	
	2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers	
	2 nos. x 10 poles N bar complete with copper screws	



Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-102	DDB-36218-Z-102
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Gold Black , S81042	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



2 Rows x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-24212-Z-103




2 Rows x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-36218-Z-103

Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-103	DDB-36218-Z-103
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Copper Black , S81043	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-104	DDB-36218-Z-104
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Gray , M9075W (RAL7035)	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



2 Rows x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-24212-Z-105




2 Rows x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-36218-Z-105

Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS
Model:	DECO-BOX Series
Ordering No.:	DDB-24212-Z-105 DDB-36218-Z-105
Color / Color Code of:	
- Body & main front cover:	White , M0143W (RAL9010)
- Slot door cover:	Black , M1012W (RAL9005)
Nos. of ways (rows x ways):	24 (2 x 12) 36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100 450 x 450 x 100
Approx. weight in kg:	4.12 4.95
Qty. per package	1
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws




Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-106	DDB-36218-Z-106
Color / Color Code of:		
- Body & main front cover:	White , M0143W (RAL9010)	
- Slot door cover:	Green , M6184W (RAL6038)	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



Product details:


Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-110	DDB-36218-Z-110
Color / Color Code of:		
- Body & main front cover:	Sliver Black , S81041	
- Slot door cover:	White , M0143W (RAL9010)	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



2 Rows x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-24212-Z-120



2 Rows x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-36218-Z-120

Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-120	DDB-36218-Z-120
Color / Color Code of:		
- Body & main front cover:	Gold Black , S81042	
- Slot door cover:	White , M0143W (RAL9010)	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



2 Rows x 12 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-24212-Z-130




2 Rows x 18 Ways
DECO-BOX Small Distribution Boards
Ordering No. DDB-36218-Z-130

Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:

Brand:	MPS	
Model:	DECO-BOX Series	
Ordering No.:	DDB-24212-Z-130	DDB-36218-Z-130
Color / Color Code of:		
- Body & main front cover:	Copper Black, S81043	
- Slot door cover:	White, M0143W (RAL9010)	
Nos. of ways (rows x ways):	24 (2 x 12)	36 (2 x 18)
Dimensions (W x H x D) in mm:	350 x 450 x 100	450 x 450 x 100
Approx. weight in kg:	4.12	4.95
Qty. per package	1	
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 2 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 2 nos. x 10 poles N bar complete with copper screws	



Product details:

Product Description:	Low voltage distribution boards customized and home-used small consumer units applicable as decorated boxes
Product Name:	DECO-BOX Small Distribution Boards
Rated current in A:	Up to 63A
Rated voltage in V AC:	230 / 400
Degree of protection:	IP 30
Mounting rail spacing:	200 mm
Standards:	IEC 61439, IEC 62208 IEC 60529, IEC 62262
Mounting depth:	100 mm
Impact strength:	IK 05
Materials:	Electro galvanized steel sheet, BS 1449 Part 1
Painting:	Epoxy powder coated and oven baked painting

Specifications:


Brand:	MPS
Model:	DECO-BOX Series
Ordering No.:	DDB-36312-Z-100 DDB-54318-Z-100
Color / Color Code of:	
- Body & main front cover:	White , M0143W (RAL9010)
- Slot door cover:	White , M0143W (RAL9010)
Nos. of ways (rows x ways):	36 (3 x 12) 54 (3 x 18)
Dimensions (W x H x D) in mm:	350 x 650 x 100 450 x 650 x 100
Approx. weight in kg:	5.75 6.85
Qty. per package	1
Accessories:	1 no x LED Volt-meter signal light with lead wires fitted plastic screw terminals 3 nos. x DIN rails fitted with 2 pcs of stoppers for circuit breakers 3 nos. x 10 poles N bar complete with copper screws

Other combinations of colors, rows and ways are available up on request.
We customize home low voltage distribution boxes.

Selection and ordering data

DECO-BOX

Customized home low voltage distribution box

	Nos. of ways	Nos of rows x ways	Dimensions in mm			Ordering no. “... - Z” = Options
			W	H	D	
	12	1 x 12	350	250	100	DDB-12112-Z
	18	1 x 18	450	250	100	DDB-18118-Z
	24	2 x 12	350	450	100	DDB-24212-Z
	36	2 x 18	450	450	100	DDB-36218-Z
		3 x 12	350	650	100	DDB-36312-Z
	48	4 x 12	350	850	100	DDB-48412-Z
	54	3 x 18	450	650	100	DDB-54318-Z
	72	4 x 18	450	850	100	DDB-72418-Z

Accessories



LED Volt meter signal light

Mounting hole size: 22 mm, Measuring range: AC 60-500V

No signal light	0
Red	1
Green	2
Blue	3
Yellow	4

Note: Standard supply Deco Box shall be fitted with ‘Red’ color signal light.

Color range



Body & main front cover = 1 st digit	Slot door cover = 2 nd digit	
White – 0 C. Code: M0143W (RAL9010)	White – 0 C. Code: M0143W (RAL9010)	00
	Silver Black – 1 C. Code: S81041	01
	Gold Black – 2 C. Code: S81042	02
	Copper Black – 3 C. Code: S81043	03
	Gray – 4, C. Code: M9075W (RAL7035)	04
	Black – 5 C. Code: M1012W (RAL9005)	05
	Green – 6 C. Code: M6184W (RAL6038)	06
Silver Black – 1 C. Code: S81041	White – 0 C. Code: M0143W, (RAL9010)	10
Gold Black – 2 C. Code: S81042		20
Copper Black – 3 C. Code: S81043		30

Note - 1 Other color combinations are also available up on request.

Note - 2 Standard supply Deco Box shall be white color, C. Code “00”.

Sample ordering data


Standard supply

Ordering No.	DDB	-	2	4	2	1	2			
1. DECO-BOX	DDB	-								
2. 24 Ways			2	4						
3. 2 Rows x 12 ways					2	1	2			
4. Indicating lamp = red color									Standard supply	
5. Body & main cover = white									Standard supply	
6. Slot door cover = white									Standard supply	

Supply with options

Ordering No.	DDB	-	2	4	2	1	2	-	Z	=	2	0	2	
1. DECO-BOX	DDB	-												
2. 24 Ways			2	4										
3. 2 Rows x 12 ways					2	1	2	-						
4. Options									Z	=				
5. Indicating lamp = green color												2		
6. Body & main cover = white													0	
7. Slot door cover = gold black														2

Dimensions



Myanma Power Spectrum Co., Ltd.

Bldg. No. A-7, Room No. 102, First Floor, Shwe Kabar Housing
Mindama Road, Mayangon Township, 11062,
Yangon, Myanmar

T: +95 1 655261-3
E: mpscobod@mmpowerspectrum.com
W: www.mmpowerspectrum.com

