Product specifications

Eaton 276282

Catalog Number: 276282

Eaton Moeller series IS Disconnector. Main switch, 240 V, 100A, 1HP

General specifications

RoHS conform

Product Name Catalog Number

Eaton Moeller series IS Disconnector 276282

Model Code EAN

IS-100/1 4015082762827

Product Length/Depth Product Height

80 mm 76 mm

Product Width Product Weight

17.5 mm 0.101 kg

Compliances Certifications

IEC 61373

EN45545-2



Product specifications

Rated operational current for specified heat dissipation (In) 100 A Lamp socket Other Heat dissipation capacity 0 W Amperage rating 100 A Width in number of modular spacings 1 Lamp power 0 W Color calotte Other Imprint/indication Symbol "arrows" Voltage rating - min 240 V Degree of protection IP40 Switch type Other Rated short-time withstand current (Icw) 2 kA Ambient operating temperature - max 40 °C Heat dissipation per pole, current-dependent 3.9 W Built-in depth 69.5 mm Lamp type Other Number of poles

Single-pole

Ambient operating temperature - min

Resources

Certification reports

DA-DC-03_IS

Drawings

eaton-dimensions-mas-is.jpg

122|155

mCAD model

DA-CD-is_lp

DA-CS-is_1p

Wiring diagrams

IS_1P

Type

IS. Main load disconnector switch

Number of contacts (normally open contacts)

1

Rated switching capacity

10 kA

Equipment heat dissipation, current-dependent

3 9 W

Number of contacts (normally closed contacts)

1

Static heat dissipation, non-current-dependent

0 W

Application

Switchgear for industrial and advanced commercial applications

Number of contacts (change-over contacts)

n

Rated operational voltage (Ue) - max

240 V

Voltage type

AC



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia