


BRUSHLESS MOTOR ARE DRIVING REVOLUTIONARY PERFORMANCE



Computer
This replaces the commutator found in atypical brushed motor assembly.

Electromagnets
These are stationary. Power is delivered directly without any brushes.

Magnets
Spin without resistance inside the electromagnet ring.



MORE 10 TIMES LONGER LIFE
MORE 32% EFFICIENCY
MORE 57% RUN-TIME
MORE 60% POWER

Can Choice 1.3/1.5/2.0ah Battery

Item No.
CDD62L

18V BRUSHLESS LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-400/0-1400min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 50N.m
Torque settings: 15+1
Max. capacity of Drilling:
wood: Ø30mm steel: Ø10mm

Item No.
CDD62IS

18V BRUSHLESS LITHIUM CORDLESS IMPACT SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2800min⁻¹
Dia. Of chuck: 1/4"
Max. torque: 280N.m

Item No.
CDD62IWH

18V BRUSHLESS LITHIUM CORDLESS IMPACT WRENCH

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2600min⁻¹
Dia. Of chuck: 1/2"
Max. torque: 280N.m

CDD62 BRUSHLESS SERIES



CDD62L



CDD62IS



CDD62IWH

CDD75

BRUSHLESS SERIES



CDD75

CDD75IS

Item No.
CDD75

18V BRUSHLESS LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-400/0-1400min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 50N.m
Torque settings: 15+1
Max. capacity of Drilling:
wood: Ø25mm steel: Ø10mm

Item No.
CDD75IS

18V BRUSHLESS LITHIUM CORDLESS IMPACT SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2600min⁻¹
Dia. Of chuck: 1/4"
Max. torque: 260N.m

BRUSHLESS MOTOR ARE DRIVING REVOLUTIONARY PERFORMANCE

CDD68 BRUSHLESS SERIES



CDD68L

CDD68L2

CDD68IW

CDD68IS

BRUSHLESS MOTOR ARE DRIVING REVOLUTIONARY PERFORMANCE

Item No.
CDD68L

18V BRUSHLESS LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-600/0-2000min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 42N.m
Torque settings: 21+1
Max. capacity of Drilling:
wood: Ø25mm steel: Ø10mm

Item No.
CDD68L2

18V BRUSHLESS LITHIUM CORDLESS IMPACT DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-600/0-2000min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 42N.m
Torque settings: 21+1
Max. capacity of Drilling:
wood: Ø25mm steel: Ø10mm

Item No.
CDD68IW

18V BRUSHLESS LITHIUM CORDLESS IMPACT WRENCH

Battery: 18V/1.5Ah Li-ion
No load speed: 2200-2600min⁻¹
Dia. Of chuck: 1/2"
Nut busting torque: 513N.m
Tightening torque: 378N.m

Item No.
CDD68IS

18V BRUSHLESS LITHIUM CORDLESS IMPACT SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2600min⁻¹
Dia. Of chuck: 1/4"
Max. torque: 160N.m



UNIVERSAL BATTERY

Item No. CDD60IS

LITHIUM CORDLESS SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-350/0-1250min⁻¹
Driver size: 1/4"
Max. torque: 32N.m(10.8V)
35N.m(14.4V) 38N.m(18V)
Torque settings: 9+1



UNIVERSAL BATTERY

Item No. CDD60L

LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-350/0-1250min⁻¹
Dia. Of chuck: Max. Ø10mm
Max. torque: 32N.m(10.8V)
35N.m(14.4V) 38N.m(18V)
Torque settings: 9+1
Max. capacity of Drilling:
wood: Ø20mm steel: Ø6mm



UNIVERSAL BATTERY

Item No. CDD58RH

LITHIUM CORDLESS HAMMER DRILL

Battery: 14.4V/18V/1.5Ah Li-ion
No load speed: 0-900min⁻¹
Impact rate: 0-4300min⁻¹
Hammer power: 0.9J
Max. capacity of Drilling:
Concrete: Ø10mm wood: Ø16mm
steel: Ø8mm



UNIVERSAL BATTERY

Item No. CDD58JS

LITHIUM CORDLESS JIG SAW

Battery: 18V/1.5Ah Li-ion
Blade stroke: 13mm
No load speed: 0-2300min⁻¹
Dia. Of chuck: Max. Ø10mm
Max. capacity of Drilling:
wood: Ø40mm steel: Ø2mm



UNIVERSAL BATTERY

Item No. CDD58S

LITHIUM MOUSE SANDER

Battery: 18V/1.5Ah Li-ion
No load speed: 10000min⁻¹
Sanding pad: 140x140x100mm

CDD58 SERIES

UNIVERSAL BATTERY

The Cordless tools in the new 10.8/14.4/18 Volt are especially impressive in applications which are preferably done using a lightweight, universal tool for screwdriver, drilling, cutting and hammering. The ideal application ranges are finishing and installation work with small to medium drilling and screw diameters. These tools impress not only with their low weight and easier handling, they are also high performance.

10.8V/14.4V/18V



UNIVERSAL BATTERY

Item No.
CDD58L

LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-350/0-1250min⁻¹
Dia. Of chuck: Max. Ø10mm
Max. torque: 30N.m(10.8V)
32N.m(14.4V) 35N.m(18V)
Torque settings: 19+1
Max. capacity of Drilling:
wood: Ø20mm steel: Ø6mm



UNIVERSAL BATTERY

Item No.
CDD58TIS

LITHIUM CORDLESS SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-350/0-1250min⁻¹
Driver size: 1/4"
Max. torque: 30N.m(10.8V)
32N.m(14.4V) 35N.m(18V)
Torque settings: 19+1



UNIVERSAL BATTERY

Item No.
CDD58IS

LITHIUM CORDLESS IMPACT SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2400min⁻¹
Rated impact rate: 0-3200min⁻¹
Driver size: 1/4"
Max. torque: 90N.m(10.8V)
100N.m(14.4V) 120N.m(18V)



UNIVERSAL BATTERY

Item No.
CDD58WL

LITHIUM CORDLESS FLASHLIGHT

Battery: 18V/1.5Ah Li-ion
Operating time:
7H(10.8V) 8H(14.4V) 8H(18V)
Luminous Power: 100lm
Lighting Equipment: 1.0W
Adjust Head: 90°



UNIVERSAL BATTERY

Item No.
CDD58RS

LITHIUM CORDLESS RECIPROCATING SAW

Battery: 18V/1.5Ah Li-ion
No load speed: 0-1400min⁻¹
Blade stroke: 19mm
Cutting capacity:
(wood/plastic/steel) 40/4/2mm



UNIVERSAL BATTERY

Item No.
CDD58MT

LITHIUM CORDLESS MULTI-FUNCTION TOOL

Battery: 18V/1.5Ah Li-ion
No load Speed: 5000-18000min⁻¹
Oscillations Angle: 3°

CDD59 SERIES

The Cordless tools in the new 14.4/18 Volt are especially impressive in applications which are preferably done using a lightweight, universal tool for screwdriver, drilling, cutting and hammering. The ideal application ranges are finishing and installation work with small to medium drilling and screw diameters. These tools impress not only with their low weight and easier handling, they are also high performance.

Item No.
CDD59H5



LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-400/0-1400min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 42N.m
Torque settings: 19+1
Max. capacity of Drilling:
wood: Ø25mm steel: Ø10mm

UNIVERSAL BATTERY

Item No.
CDD59IS



LITHIUM CORDLESS IMPACT SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2400min⁻¹
Rated impact rate: 0-3000min⁻¹
Dia. Of chuck: 1/4"
Max. torque: 180N.m

UNIVERSAL BATTERY

Item No.
CDD59IW



LITHIUM CORDLESS IMPACT WRENCH

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2400min⁻¹
Rated impact rate: 0-3000min⁻¹
Dia. Of chuck: 1/2"/3/8"
Max. torque: 180N.m

UNIVERSAL BATTERY

Item No.
CDD59IW2



LITHIUM CORDLESS IMPACT WRENCH

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2000min⁻¹
Dia. Of chuck: 1/2"
Max. torque: 450N.m
Battery indicator/LED light

UNIVERSAL BATTERY

Item No.
CDD59RH



LITHIUM CORDLESS ROTARY HAMMER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-900min⁻¹
Impact rate: 0-4300min⁻¹
Hammer power: 1.1J
Max. capacity of Drilling:
Concrete: Ø10mm wood: Ø16mm
steel: Ø8mm

UNIVERSAL BATTERY

Item No.
CDD59JS



LITHIUM CORDLESS JIG SAW

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-2400min⁻¹
Stroke Length: 19mm
Slanted Cuts: 0-45°
Cutting Capacity:
4mm(in steel) 51mm(in wood)

UNIVERSAL BATTERY

Item No.
CDD59CS



LITHIUM CORDLESS CIRCULAR SAW

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-3800min⁻¹
Blade Size: 136mm
Blade Bevel Range: 0-45°
Depth of Cut: at 45° 28mm
at 0° 38mm

UNIVERSAL BATTERY

Item No.
CDD59RH2



LITHIUM CORDLESS ROTARY HAMMER

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-1400min⁻¹
Impact rate: 0-4500min⁻¹
Hammer power: 1.7J
Max. capacity of Drilling:
Concrete: Ø22mm wood: Ø28mm
steel: Ø13mm

UNIVERSAL BATTERY

Item No.
CDD59RD



LITHIUM CORDLESS RADIO STUDIO

Battery: 18V/1.5Ah Li-ion
Operating time: 8-10Hrs
Function: FM/AUX/SD/USB/
BLUETOOTH

UNIVERSAL BATTERY



Item No.
CDD59AG

LITHIUM CORDLESS ANGLE GRINDER

Battery: 18V/1.5Ah Li-ion
No load Speed: 8000min⁻¹
Disc Diameter: 100/115mm

UNIVERSAL BATTERY



Item No.
CDD59MT

LITHIUM CORDLESS MULTI-FUNCTION TOOL

Battery: 18V/1.5Ah Li-ion
No load Speed: 5000-18000min⁻¹
Oscillations Angle: 1.3°

UNIVERSAL BATTERY



Item No.
CDD59RS

LITHIUM CORDLESS REPRICATING SAW

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-2800min⁻¹
Blade Stroke: 22mm
Max. Cutting Capacity:
(wood/steel) 100mm/4mm

UNIVERSAL BATTERY



Item No.
CDD59S

LITHIUM MOUSE SANDER

Battery: 18V/1.5Ah Li-ion
No load speed: 10000min⁻¹
Sanding pad: 140x140x100mm

UNIVERSAL BATTERY



Item No.
CDD59WL2

LITHIUM CORDLESS FLASHLIGHT

Battery: 18V/1.5Ah Li-ion
Operating time: 12Hrs
Luminous Power: 1200lm/690lm/340lm
Lighting Equipment: 11W
Adjust Head: 330°

UNIVERSAL BATTERY



Item No.
CDD59WL3

LITHIUM CORDLESS FLASHLIGHT

Battery: 18V/14.4V 1.5Ah Li-ion
Operating time: 12Hrs
Luminous Power: 200lm
Lighting Equipment: 3.0W
Adjust Head: 180°

UNIVERSAL BATTERY



Item No.
HT-L1220CHS

LITHIUM CORDLESS CHAIN SAW

Battery: 20V/1.5Ah Li-ion
Charge Time: 1hr
Chain speed: 1.5m/s
cutting Lenh: 305mm
Oil pot capacity: 80ml
8" oregon chain & bar

UNIVERSAL BATTERY



Item No.
HT-L1220HT

LITHIUM CORDLESS HEDGE TRIMMER

Battery: 18V/1.5Ah Li-ion
No load speed: 1100min⁻¹
Cutting length: 430mm
Cutting dia.: Ø15mm

UNIVERSAL BATTERY



Item No.
CDD67L

LITHIUM CORDLESS DRILL

Battery: 14.4V/18V, 1.5Ah Li-ion
No load speed: 0-400/0-1500min⁻¹
Dia. Of chuck: Max. Ø10mm
Max. torque: 30/40N.m
Torque settings: 17+1

UNIVERSAL BATTERY



Item No.
CDD67H

LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-400/0-1500min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 50N.m
Torque settings: 25+1

UNIVERSAL BATTERY



Item No.
CDD671W

LITHIUM CORDLESS IMPACT WRENCH

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2600min⁻¹
Dia. Of chuck: 1/2"
Max. torque: 160N.m

UNIVERSAL BATTERY



Item No.
CDD671S

LITHIUM CORDLESS SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-2600min⁻¹
Dia. Of chuck: 1/4"
Max. torque: 160N.m

UNIVERSAL BATTERY



Item No.
CDD67MT

LITHIUM CORDLESS MULTI-FUNCTION TOOL

Battery: 18V/1.5Ah Li-ion
No load Speed: 5000-18000min⁻¹
Oscillations Angle: 3°

UNIVERSAL BATTERY

CDD67 SERIES

UNIVERSAL BATTERY

The Cordless tools in the new 10.8/14.4/18 Volt are especially impressive in applications which are preferably done using a lightweight, universal tool for screwdriver, drilling, cutting and hammering. The ideal application ranges are finishing and installation work with small to medium drilling and screw diameters. These tools impress not only with their low weight and easier handling, they are also high performance.

10.8V/14.4V/18V



Item No.
CDD67RH

LITHIUM CORDLESS IMPACT HAMMER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-900min⁻¹
Rated impact rate: 0-4300min⁻¹
Hammer power: 1.1J

UNIVERSAL BATTERY



Item No.
CDD67L-10.8

LITHIUM CORDLESS DRILL

Battery: 10.8V/1.5Ah Li-ion
No load speed: 0-350/0-1300min⁻¹
Dia. Of chuck: 10mm
Max. torque: 25N.m
Torque settings: 21+1

UNIVERSAL BATTERY



Item No.
CDD67AG

Lithium CORDLESS ANGLE GRINDER

Battery: 18V/1.5Ah Li-ion
No load Speed: 8000min⁻¹
Disc Diameter: 115mm

UNIVERSAL BATTERY



Item No.
CDD67AP

LITHIUM CORDLESS TIRE COMPRESSOR

Battery: 10.8V/1.5Ah Li-ion
Max. pressure: 160PSI
Max. flow speed: 14L/min
3 Valves for different kinds nozzles

UNIVERSAL BATTERY

CDD51 SERIES

UNIVERSAL BATTERY

The Cordless tools in the new 14.4/18 Volt are especially impressive in applications which are preferably done using a lightweight, universal tool for screwdriver, drilling, cutting and hammering. The ideal application ranges are finishing and installation work with small to medium drilling and screw diameters. These tools impress not only with their low weight and easier handling, they are also high performance.



Item No.
CDD51S

LITHIUM CORDLESS SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-2000min⁻¹
Rated Impact: 0-3000min⁻¹
Max. Torque: 180N.m(14.4V) 200N.m(18V)
Driver Size: 1/2"

LI-ION BATTERY



Item No.
CDD51L

LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-550min⁻¹ or 0-400/0-1200min⁻¹
Max. Torque: 20N.m(14.4V) 24N.m(18V)
Torque Settings: 19+1

LI-ION BATTERY



Item No.
CDD51H5

LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-550min⁻¹ or 0-400/0-1200min⁻¹
Max. Torque: 22N.m(14.4V) 28N.m(18V)
Torque Settings: 19+1

LI-ION BATTERY



Item No.
CDD51WL

LITHIUM CORDLESS WORK LIGHT

Battery: 18V/1.5Ah Li-ion
Operating Time: 6.5H(14.4v) 7H(18V)
Luminous Power: 300lm
Lighting Equipment: 3.0W
Adjust Head: 135°

LI-ION BATTERY



Item No.
CDD51CS

LITHIUM CORDLESS CIRCULAR SAW

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-3800min⁻¹
Blade Size: 140mm
Blade Bevel Range: 0-50°
Depth of Cut: at 45° 26mm
at 0° 44mm

LITHIUM BATTERY



Item No.
CSS51JS

LITHIUM CORDLESS JIG SAW

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-2100min⁻¹
Stroke Length: 19mm
Slanted Cuts: 0-45°
Cutting Capacity:
2mm(in steel)
51mm(in wood)

LITHIUM BATTERY



Item No.
CSS51AG

LITHIUM CORDLESS ANGLE GRINDER

Battery: 18V/1.5Ah Li-ion
No load Speed: 5700min⁻¹
Disc Diameter: 115mm

LITHIUM BATTERY



Item No.
CDD51RS

LITHIUM CORDLESS REPROCATING SAW

Battery: 18V/1.5Ah Li-ion
No load Speed: 0-2700min⁻¹
Blade Stroke: 18mm
Cutting Capacity: (wood) 100mm

LITHIUM BATTERY



Item No.
CDD65L

LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-440/0-1650min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 38N.m
Torque settings: 21+1
Max. capacity of Drilling:
wood: Ø25mm steel: Ø10mm

LI-ION BATTERY



Item No.
CDD65IW

LITHIUM CORDLESS IMPACT WRENCH

Battery: 18V/1.5Ah Li-ion
No load speed: 0-3000min⁻¹
Dia. Of chuck: 3/8"
Max. torque: 158N.m

LI-ION BATTERY



Item No.
CDD65H

LITHIUM CORDLESS DRILL

Battery: 18V/1.5Ah Li-ion
No load speed: 0-440/0-1650min⁻¹
Dia. Of chuck: Max. Ø13mm
Max. torque: 38N.m
Torque settings: 21+1
Max. capacity of Drilling:
wood: Ø25mm steel: Ø10mm

LI-ION BATTERY



Item No.
CDD65IS

LITHIUM CORDLESS IMPACT SCREWDRIVER

Battery: 18V/1.5Ah Li-ion
No load speed: 0-3000min⁻¹
Dia. Of chuck: 1/4"
Max. torque: 158N.m

LI-ION BATTERY



Item No.
CDD65MT

LITHIUM CORDLESS MULTI-FUNCTION TOOL

Battery: 18V/1.5Ah Li-ion
No load Speed: 8000-18000min⁻¹
Oscillations Angle: 3.2°

LI-ION BATTERY

CDD65 SERIES

LI-ION BATTERY

Special characteristics have made li-ion battery become mainstream in the battery industry and other related industries. As be known, li-ion battery have strong power, long service life, stable current, light weight and environmental protection.



Item No.
CDD65CS

LITHIUM CORDLESS CIRCULAR SAW

No load Speed: 0-3800min⁻¹
Blade Size: 160mm
Blade Bevel Range: 0-50°
Depth of Cut: at 45° 38mm
at 0° 54mm

LITHIUM BATTERY



Item No.
CDD65JS

LITHIUM CORDLESS JIG SAW

No load Speed: 0-2500min⁻¹
Stroke Length: 20mm
Slanted Cuts: 0-45°
Cutting Capacity:
6mm(in steel) 65mm(in wood)

LITHIUM BATTERY



Item No.
CDD65AG

LITHIUM CORDLESS ANGLE GRINDER

No load Speed: 8500min⁻¹
Disc Diameter: 115mm

LITHIUM BATTERY



Item No.
CDD65AP

LITHIUM AIR PUMP

Battery: 18V/1.5Ah Li-ion
Air flow rate: 14L/min
Working pressure: Max. 10.4bar
Idea for quickly and effortlessly inflating
car and motorcycle tires, bicycle tires,
basketball and football
Optional LCD pressure gauge

LITHIUM BATTERY



Item No.
CDD65RS

LITHIUM CORDLESS RECIPROCATING SAW

Battery: 18V/1.5Ah Li-ion
No load speed: 0-3000min⁻¹
Blade stroke: 25.4mm
Cutting capacity: (wood/steel/soft
metal) 80/10/20mm

LITHIUM BATTERY



Item No.
CDD76RH

LITHIUM CORDLESS ROTARY HAMMER

Battery: 18V/4Ah Li-ion
Impact rate at rated speed: 0-5000min⁻¹
Rated speed: 0-1000min⁻¹
Hammer power: 2J
Max. capacity of Drilling:
Concrete: Ø20mm
wood: Ø26mm steel: Ø13mm

LITHIUM BATTERY



Item No.
**CDD76RH2
13/10**

18V LITHIUM CORDLESS ROTARY HAMMER

Battery: 18V/2Ah Li-ion
Impact rate at rated speed: 0-5000min⁻¹
Rated speed: 0-900min⁻¹
Hammer power: 1.2J
Max. capacity of Drilling:
Concrete: Concrete: Ø10/13mm
wood: Ø13/16mm steel: Ø10/10mm

LI-ION BATTERY



Item No.
CDD76AG

LITHIUM CORDLESS ANGLE GRINDER

Battery: 18V/4Ah Li-ion
No load Speed: 8000min⁻¹
Disc Diameter: 115mm

LITHIUM BATTERY



Item No.
CDD76BL

LITHIUM CORDLESS BLOWER

Battery: 18V/4Ah Li-ion
No load speed: 0-18000min⁻¹
Rated air flow: 2.8m³/min

LI-ION BATTERY





Item No.
CDD76CS

18VDC CIRCULAR SAW

Battery voltage: 18V
No load speed: 3600min⁻¹
Blade Dia.:165x1.6x25.4x24T

LI-ION BATTERY



Item No.
**CDD76MS
210**

210/185MM CORDLESS MITER SAW

Voltage: 18V, 230V~50Hz
Power: Li-ion, 1x4.0Ah
Blade dia: 210mm x 40T/185mmx 40T
No-load speed:3600min⁻¹

LI-ION BATTERY



Item No.
**CDD76MS
255**

255MM CORDLESS MITER SAW

Voltage: 36V(18V+18V), 230V~50Hz
Power: Li-ion, 1x4.0Ah
Blade dia: 255mm x 40T
No-load speed:3800min⁻¹

LI-ION BATTERY

CDD76 SERIES

LI-ION BATTERY

Special characteristics have made li-ion battery become mainstream in the battery industry and other related industries. As be known, li-ion battery have strong power, long service life, stable current, light weight and environmental protection.

CDD77 SERIES

LI-ION BATTERY

Special characteristics have made li-ion battery become mainstream in the battery industry and other related industries. As be known, li-ion battery have strong power, long service life, stable current, light weight and environmental protection.



Item No.
CDD77L

LI-ION CORDLESS DRILL

Voltage: 18V, 230V~50Hz
Battery: Li-ion, 1500mAh
No-load speed: 0-350/0-13000min⁻¹
Clutch: 22+1 setting rings
Max torque: 45Nm
Motor: Chinese motor 775#
Chuck: 13 mm keyless chuck
Charge time: 1 hour

LI-ION BATTERY



Item No.
CDD77IW

LI-ION CORDLESS IMPACT WRENCH

Voltage: 18V, 230V~50Hz
Battery: Li-ion, 1500mAh
No-load speed: 0-2400min⁻¹
Clutch: 22+1 setting rings
Max torque: 45Nm
Motor: Chinese motor 775#
Chuck: 13 mm keyless chuck
Charge time: 1 hour

LI-ION BATTERY



Item No.
CDD77JS

CORDLESS JIG SAW

Voltage: 18V, 230V~50Hz
Power: Li-ion, 1500mAh
No-load speed: 0-2700min⁻¹
Max cutting depth: 80mm/5mm

LI-ION BATTERY



Item No.
CDD77CS

CORDLESS CIRCULAR SAW

Voltage: 18V, 230V~50Hz
Power: Li-ion, 1500mAh
No-load speed: 0-2400min⁻¹
Max cutting depth:
90°: 40mm, 45°: 32mm
Blade diameter: 150x16x18T
Material of base guard: Alu

LI-ION BATTERY



Item No.
CDD77RS

CORDLESS GARDEN SAW

Voltage: 10.8V/12V, 230V~50Hz
Power: Li-ion, 1300mAh
Max cutting diameter: 90mm
Stroke length: 20mm

LI-ION BATTERY



Item No.
CDD77RS2

CORDLESS RECIPROCATING SAW

Voltage: 18V, 230V~50Hz
Power: Li-ion, 1500mAh
No-load speed: 0-2700min⁻¹
Max cutting depth:
wood: 180mm, steel: 130mm

LI-ION BATTERY



CDD78 SERIES

LI-ION BATTERY

Special characteristics have made li-ion battery become mainstream in the battery industry and other related industries. As be known, li-ion battery have strong power, long service life, stable current, light weight and environmental protection.



Item No.
CDD78HG

18V DC HEAT GUN

Voltage: 18V
Rated current: 15A
Max. temperature: 550°C
Max. air flow: 200l/min
Runtime ≥ 16.5min

LI-ION BATTERY



Item No.
CDD78NL

18V LI-ION CORDLESS NAILER

Voltage: 18V 2.0Ah
Impact Rate: 20/min
2-in-1 for bot staples and nails
Magazine capacity:
500pcs staple 19mm
50pcs T-brad 25mm
Battery Charger: 1.65AH charger
Number of shots per battery charge: 700shots
APPLICATION
Staple: 15-25mm
T-brad nail:
15mm/20mm/25mm/30mm/32mm
-LED light to indicate more accurate nailing position
-Side loading of pins
-Nail empty window
packing: color box



Item No.
CDD78VC

18V LI-ION VACUUM CLEANER

VOLTAGE: 18V
Dust cup capacity :500ml
Vacuum: ≥ 3.8KPa
Runtime ≥ 12min

LI-ION BATTERY

LI-ION BATTERY



Item No.
CDD78BL

CORDLESS BLOWER

Voltage: 18V
Air Flow Speed: ≥ 63.5m/s
Vacuum: ≥ 4.5KPa
LED
Runtime ≥ 9min

LI-ION BATTERY