



Item No.
BG040

BENCH GRINDER

Voltage/Frequency:230/110V~50/60Hz
Input Power:120W
No Load Speed:0-9900min⁻¹
Dia. of Wheel:Ø5x20xØ0mm

Meas:32x29.5x36cm/1pc
G.W/N.W: 12.7/11.6kgs
Quantity 20ft: 3192pcs



Bench Grinder

It is of novel design, small and exquisite bulk,handy carry. It adopts single phase series motor with variable speed regulation and high rotating speed. It has multiple functions such as grinding, polishing,drilling etc. It is an ideal tool for the household and hardware processing.

Item No.
BG039

BENCH GRINDER

Voltage/Frequency:230/110V~50/60Hz
Input Power:150W
No Load Speed:0-1000min⁻¹
Dia. of Wheel:Ø75x20xØ10mm

Meas:59x35x38cm/8pcs
G.W/N.W: 30/28kgs
Quantity 20ft: 3000pcs



Item No.
BG2039

BENCH POLISHER

Voltage/Frequency:230/110V~50/60Hz
Input Power:200W
No Load Speed:1800-9000min⁻¹
Dia. of Wheel:127mm

Meas:59x35x38cm/8pcs
G.W/N.W: 30/28kgs
Quantity 20ft: 3000pcs



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No.
BG5125

BENCH GRINDER

BG5125
Voltage/Frequency:230/110V~50/60Hz
Input Power:120W
No Load Speed:2950min⁻¹
Dia. of Wheel:125x16x12.7mm

BG5125
Meas:28.5x18x20.5cm/1pc
G.W/N.W:6.2/5.7kgs
Quantity 20ft:2850pcs

Item No.
BG5150

BG5150
Voltage/Frequency:230/110V~50/60Hz
Input Power:150W
No Load Speed:2950min⁻¹
Dia. of Wheel:150x16x12.7mm

BG5125
Meas:29x18x20.5cm/1pc
G.W/N.W:7/6.3kgs
Quantity 20ft:2700pcs



Item No.
BG2040

BENCH POLISHER

Voltage/Frequency:230/110V~50/60Hz
Input Power:750W
No Load Speed:2950min⁻¹
Dia. of Wheel:200mm

Meas:60.5x31x34cm/1pc
G.W/N.W: 16.5/15kgs
Quantity 20ft: 455pcs



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

BENCH GRINDER	
<p>Item No. BG3125</p>	<p>BG3125 Voltage/Frequency:230/110V~50/60Hz Input Power:120W No Load Speed:2950min⁻¹ Dia. of Wheel:125x16x12.7mm</p>
<p>Item No. BG3150</p>	<p>BG3150 Voltage/Frequency:230/110V~50/60Hz Input Power:150W No Load Speed:2950min⁻¹ Dia. of Wheel:150x16x12.7mm</p>
	<p>BG3125 Meas:29.5x17x20.5cm/1pc G.W/N.W:5.7/5.2kgs Quantity 20ft:2500pcs</p> <p>BG3150 Meas:29.5x18.5x20.5cm/1pc G.W/N.W:6.3/5.8kgs Quantity 20ft:2150pcs</p>

BENCH GRINDER	
<p>Item No. BG41200</p>	<p>Voltage/Frequency:230/110V~50/60Hz Input Power:200/250/375W No Load Speed:2850/3450min⁻¹ Dia. of Wheel:150x20x12.7mm</p>
<p>Item No. BG41150</p>	<p>Meas:40x26x32cm/1pc G.W/N.W:13/12kgs Quantity 20ft:760pcs</p>



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

BENCH GRINDER	
<p>Item No. BG40200</p>	<p>Voltage/Frequency:230/110V~50/60Hz Input Power:370W No Load Speed:2850/3450min⁻¹ Dia. of Wheel:150x20/25x12.7mm</p>
<p>Item No. BG40150</p>	<p>Meas:42.5x40x31.5cm/1pc G.W/N.W:17.8/16kgs Quantity 20ft:490pcs</p>

BENCH GRINDER	
<p>Item No. BG42200</p>	<p>BG42200 Voltage/Frequency:230/110V~50/60Hz Input Power:375/550W No Load Speed:2850/3450min⁻¹ Dia. of Wheel:200x20/25x16mm</p>
<p>Item No. BG42250</p>	<p>BG42250 Voltage/Frequency:230/110V~50/60Hz Input Power:750W No Load Speed:2850/3450min⁻¹ Dia. of Wheel:250x24x20mm</p>
	<p>BG42200 Meas:49x34x33cm/1pc G.W/N.W:20/18kgs Quantity 20ft:540pcs</p> <p>BG42250 Meas:52.5x38.5x33.5cm/1pc G.W/N.W:28/25kgs Quantity 20ft:390pcs</p>



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No.
BG37125

BENCH GRINDER

BG37125
Voltage/Frequency:230/110V~50/60Hz
Input Power:150W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:125x16x12.7mm

BG37125
Meas:31.5x22.5x21.5cm/1pc
G.W/N.W:6.5/6kgs
Quantity 20ft:1800pcs

Item No.
BG37150

BG37150
Voltage/Frequency:230/110V~50/60Hz
Input Power:200W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:150x20x12.7mm

BG37150
Meas:31.5x22.5x21.5cm/1pc
G.W/N.W:10/9kgs
Quantity 20ft:1800pcs



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No.
BG9125

BENCH GRINDER

BG9125
Voltage/Frequency:230/110V~50/60Hz
Input Power:200W
No Load Speed:2950/3450min⁻¹
Dia. of Wheel:125x20x12.7mm

BG9125
Meas:28x17.5x20.5cm/1pc
G.W/N.W:5.7/5.5kgs
Quantity 20ft:1800pcs

Item No.
BG9150

BG9150
Voltage/Frequency:230/110V~50/60Hz
Input Power:300W
No Load Speed:2950/3450min⁻¹
Dia. of Wheel:175x20x12.7mm

BG9150
Meas:35.5x20.5x28.5cm/1pc
G.W/N.W:11/10kgs
Quantity 20ft:1800pcs

Item No.
BG9175

BG9175
Voltage/Frequency:230/110V~50/60Hz
Input Power:250W
No Load Speed:2950/3450min⁻¹
Dia. of Wheel:150x20x12.7mm

BG9175
Meas:34x19x24cm/1pc
G.W/N.W:6.3/5.8kgs
Quantity 20ft:1800pcs

Item No.
BG9200

BG9200
Voltage/Frequency:230/110V~50/60Hz
Input Power:350W
No Load Speed:2950/3450min⁻¹
Dia. of Wheel:200x20x16mm

BG9200
Meas:36x24x27.5cm/1pc
G.W/N.W:12.5/11.5kgs
Quantity 20ft:1800pcs

Item No.
BG10125

BENCH GRINDER

BG10125
Voltage/Frequency:230/110V~50/60Hz
Input Power:150W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:125x16x12.7mm

BG10125
Meas:28.5x18x20.5cm/1pc
G.W/N.W:5.7/5.2kgs
Quantity 20ft:2200pcs

Item No.
BG10150

BG10150
Voltage/Frequency:230/110V~50/60Hz
Input Power:200W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:150x20x12.7mm

BG10150
Meas:33.8x20.5x24cm/1pc
G.W/N.W:9.5/8.5kgs
Quantity 20ft:1650pcs

Item No.
BG10175

BG10175
Voltage/Frequency:230/110V~50/60Hz
Input Power:250W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:175x20x16mm

BG10175
Meas:42x26.2x28.2cm/1pc
G.W/N.W:13/12kgs
Quantity 20ft:930pcs

Item No.
BG10200

BG10200
Voltage/Frequency:230/110V~50/60Hz
Input Power:350W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:200x20x16mm

BG10200
Meas:42x26.2x28.2cm/1pc
G.W/N.W:14.5/13.5kgs
Quantity 20ft:900pcs

Item No.
BG10250

BG10250
Voltage/Frequency:230/110V~50/60Hz
Input Power:200W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:250x25x32mm

BG10250
Meas:47x31x32cm/1pc
G.W/N.W:28/26kgs
Quantity 20ft:600pcs



BENCH GRINDER

Item No.
BG022

Voltage/Frequency:230/110V~50/60Hz
Input Power:200W
No Load Speed:2950min⁻¹
Dia. of Wheel:150x20/40x12.7mm

Meas:33.8x20.5x24cm/1pcs
G.W/N.W: 9.5/8.5kgs
Quantity 20ft: 1600pcs



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No.
BG2002

BENCH GRINDER

Voltage/Frequency:230/110V~50/60Hz
 Input Power:150/200W
 No Load Speed:2950min⁻¹
 Dia. of Wheel:125x20/40x12.7mm

Meas:30.5x17.5x20.5cm/1pc
 G.W/N.W:9.5/8.5kgs
 Quantity 20ft:1640pcs

Item No.
BG168

BENCH GRINDER

BG168
 Voltage/Frequency:230/110V~50/60Hz
 Input Power:1/2HP
 No Load Speed:3450min⁻¹
 Dia. of Wheel:6"x4/5"x1/2"mm

BG168
 Meas:39x23x27cm/1pc
 G.W/N.W:13/11kgs
 Quantity 20ft:1250pcs

Item No.
BG188

BG188
 Voltage/Frequency:230/110V~50/60Hz
 Input Power:3/4HP
 No Load Speed:3450min⁻¹
 Dia. of Wheel:8"x1"x5/8"mm

BG188
 Meas:42x26x27cm/1pc
 G.W/N.W:15/14kgs
 Quantity 20ft:1000pcs

Item No.
BG1810

BG1810
 Voltage/Frequency:230/110V~50/60Hz
 Input Power:1HP
 No Load Speed:3450min⁻¹
 Dia. of Wheel:10"x1"x1-1/4"mm

BG1810
 Meas:42x26x27cm/1pc
 G.W/N.W:15/14kgs
 Quantity 20ft:1000pcs



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No.
BG002A

BENCH GRINDER

Voltage/Frequency:230/110V~50/60Hz
 Input Power:150W
 No Load Speed:2950min⁻¹
 Dia. of Wheel:150x20/40x12.7mm

Meas:39x21x25cm/1pcs
 G.W/N.W: 12/11kgs
 Quantity 20ft: 1600pcs

Item No.
BG26

BENCH GRINDER

BG26
 Voltage/Frequency:230/110V~50/60Hz
 Input Power:1/2HP
 No Load Speed:3450min⁻¹
 Dia. of Wheel:6"x4/5"x1/2"mm

BG26
 Meas:31.5x22.5x21.5cm/1pc
 G.W/N.W:13/12kgs
 Quantity 20ft:1250pcs

Item No.
BG28

BG28
 Voltage/Frequency:230/110V~50/60Hz
 Input Power:3/1HP
 No Load Speed:3450min⁻¹
 Dia. of Wheel:8"x1"x5/8"mm

BG28
 Meas:31.5x22.5x21.5cm/1pc
 G.W/N.W:15/14kgs
 Quantity 20ft:1000pcs



Item No.
BG12125

BENCH GRINDER

Voltage/Frequency: 230/110V~50/60Hz
Input power:120W
No load speed:2950min⁻¹
Dia. of wheel:125x16x12.7mm

Meas:30x35x22cm/2pcs
G.W/N.W:11/10kgs
Quantity 20ft:2420pcs



Item No.
BG35200

BENCH GRINDER

Voltage/Frequency: 230/110V~50/60Hz
Input power:350W
No load speed:2950min⁻¹
Dia. of wheel:200x20x16mm

Meas:42x26x28cm/1pc
G.W/N.W:15/14kgs
Quantity 20ft:910pcs



Item No.
BG1515

BENCH GRINDER

Voltage/Frequency: 230/110V~50/60Hz
Input power:150W
No load speed:2950min⁻¹
Dia. of wheel:150x16x12.7mm

Meas:31x35x22cm/2pcs
G.W/N.W:16/15kgs
Quantity 20ft:2340pcs



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast AL. motor housing and iron base ensure steady running.

Item No.
BG1515

BENCH GRINDER

Voltage/Frequency: 230/110V~50/60Hz
Input power:150W
No load speed:2950min⁻¹
Dia. of wheel:150x16x12.7mm

Meas:31x35x22cm/2pcs
G.W/N.W:16/15kgs
Quantity 20ft:2340pcs



Item No.
BG25200

BENCH GRINDER

Voltage/Frequency: 230/110V~50/60Hz
Input power:250W
No load speed:2950min⁻¹
Dia. of wheel:200x20x16mm

Meas:42x26x29cm/1pc
G.W/N.W:11/10kgs
Quantity 20ft:880pcs

Item No.
BG15125

BENCH GRINDER

BG15125
Voltage/Frequency:230/110V~50/60Hz
Input Power:150W
No Load Speed:2950min⁻¹
Dia. of Wheel:125x16x12.7mm

BG15125
Meas:28.5x18x20.5cm/1pc
G.W/N.W:5.7/5.2kgs
Quantity 20ft:2200pcs

Item No.
BG15150

BG15150
Voltage/Frequency:230/110V~50/60Hz
Input Power:250W
No Load Speed:2950min⁻¹
Dia. of Wheel:150x20x12.7mm

BG15150
Meas:36.3x19.8x27.3cm/1pc
G.W/N.W:9.5/8.5kgs
Quantity 20ft:1650pcs

Item No.
BG15175

BG15175
Voltage/Frequency:230/110V~50/60Hz
Input Power:350W
No Load Speed:2950min⁻¹
Dia. of Wheel:175x20x32mm

BG15175
Meas:36.3x19.8x27.3cm/1pc
G.W/N.W:9.5/8.5kgs
Quantity 20ft:1650pcs

Item No.
BG15200

BG15200
Voltage/Frequency:230/110V~50/60Hz
Input Power:400W
No Load Speed:2950min⁻¹
Dia. of Wheel:200x20x32mm

BG15200
Meas:37x24.5x30cm/1pc
G.W/N.W:14.5/13.5kgs
Quantity 20ft:900pcs

Item No.
BG15250

BG15250
Voltage/Frequency:230/110V~50/60Hz
Input Power:750W
No Load Speed:2950min⁻¹
Dia. of Wheel:250x25x32mm

BG15250
Meas:47x31x32cm/1pc
G.W/N.W:28/26kgs
Quantity 20ft:600pcs



Dry-wet Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No. BG012	BENCH GRINDER	
	Voltage/Frequency:230/110V~50/60Hz Input Power:250W No Load Speed:2950/3450min ⁻¹ Dia. of Wheel:150x20x12.7mm 200x20x20mm	Meas:42x25.5x26cm/1pc G.W/N.W:11/10kgs Quantity 20ft:900pcs



Dry-Wet Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No. BG25150B	BENCH GRINDER	
	BG25150B Voltage/Frequency:230/110V~50/60Hz Input Power:375W No Load Speed:2950/3450min ⁻¹ Dia. of Wheel:150x16x12.7mm 150x40x20mm	BG25150B Meas:40x25.5x26cm/1pc G.W/N.W:12/11.5kg Quantity 20ft:1200pcs
Item No. BG25200		BG25200 Meas:43x25.5x26cm/1pc G.W/N.W:14/13.5kgs Quantity 20ft:900pcs
	BG25200 Voltage/Frequency:230/110V~50/60Hz Input Power:250W No Load Speed:2950/3450min ⁻¹ Dia. of Wheel:150x20x12.7mm 200x40x20mm	



Heavy-duty Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No. BG51150	BENCH GRINDER	
	BG51150 Voltage/Frequency:230/110V~50/60Hz Input Power:520W No Load Speed:2950min ⁻¹ Dia. of Wheel:150x25x32mm	BG51150 Meas:47x26x25.4cm/1pc G.W/N.W:16/18kgs Quantity 20ft:940pcs
Item No. BG51175		BG51175 Meas:47x26x25.4cm/1pc G.W/N.W:18/20kgs Quantity 20ft:940pcs
	BG51175 Voltage/Frequency:230/110V~50/60Hz Input Power:520W No Load Speed:2950min ⁻¹ Dia. of Wheel:175x25x32mm	BG51200 Meas:53x32x31cm/1pc G.W/N.W:28/30kgs Quantity 20ft:539pcs
Item No. BG51200		BG51250 Meas:54x35x32cm/1pc G.W/N.W:34/36kgs Quantity 20ft:480pcs
	BG51200 Voltage/Frequency:230/110V~50/60Hz Input Power:900W No Load Speed:2950min ⁻¹ Dia. of Wheel:200x32x32mm	
Item No. BG51250		
	BG51250 Voltage/Frequency:230/110V~50/60Hz Input Power:900W No Load Speed:2950min ⁻¹ Dia. of Wheel:250x32x32mm	



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No. BG36150	BENCH GRINDER	
	BG36150 Voltage/Frequency:230/110V~50/60Hz Input Power:250W No Load Speed:2950/3450min ⁻¹ Dia. of Wheel:150x20x14mm	BG36150 Meas:49.5x24x28.5cm/1pc G.W/N.W:13/11.5kgs Quantity 20ft:760pcs
Item No. BG36200		BG36200 Meas:50x25x30cm/1pc G.W/N.W:15/13kgs Quantity 20ft:640pcs
	BG36200 Voltage/Frequency:230/110V~50/60Hz Input Power:350W No Load Speed:2950/3450min ⁻¹ Dia. of Wheel:200x20x16mm	



Item No.
BG034

BENCH GRINDER

Voltage/Frequency:230/110V~50/60Hz
Input Power:200W
No Load Speed:2950min⁻¹
Dia. of Wheel:150x20x12.7mm
Belt Size:50x686mm

Meas:41x34x20.5cm/1pc
G.W/N.W: 9/8kgs
Quantity 20ft: 965pcs



Item No.
BG24150

BENCH GRINDER

Voltage/Frequency: 230/110V~50/60Hz
Input power:240W
No load speed:2950min⁻¹
Dia. of wheel:150x20x17mm

Meas:41x33.5x21cm/2pcs
G.W/N.W:11/10kgs
Quantity 20ft: 1940pcs



Item No.
BG07

BENCH GRINDER

Voltage/Frequency:230/110V~50/60Hz
Input Power:200/240W
No Load Speed:2950min⁻¹
Dia. of Wheel:150x20x12.7mm
Belt Size:50x686mm

Meas: 45.5x47x31.5cm/1pcs
G.W/N.W: 10/9kgs
Quantity 20ft: 965pcs



Bench Grinder

- Powerful induction motors ensure smooth running and provide plenty of power to avoid stalling.
- Fully-sealed ball bearings support motor shaft for exceptional long wear.
- Large adjustable PC eye-shields for users' safety.
- High quality rocker switch ensure years of operation.
- Adjustable work rest make proper wheel wear compensation.
- Cast Al. motor housing and iron base ensure steady running.

Item No.
BG43150

BENCH GRINDER

BG43150
Voltage/Frequency:230/110V~50/60Hz
Input Power:375W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:150x20x12.7mm
Belt Size:50x686mm

BG43150
Meas:43.6x38.5x23.5cm/1pc
G.W/N.W:11.3/11kgs
Quantity 20ft: 1250pcs

Item No.
BG43200

BG43200
Voltage/Frequency:230/110V~50/60Hz
Input Power:375W
No Load Speed:2850/3450min⁻¹
Dia. of Wheel:200x20x12.7mm
Belt Size:50x686mm

BG43200
Meas:43.6x38.5x23.5cm/1pc
G.W/N.W:11.3/10kgs
Quantity 20ft: 1000pcs